	Application No.	Applicant(s)
Notice of Allowability	Application 110.	
	09/899,587	BRUNT ET AL.
	Examiner	Art Unit
	Russell Frejd	2128
The MAILING DATE of this communication appeal All claims being allowable, PROSECUTION ON THE MERITS IS herewith (or previously mailed), a Notice of Allowance (PTOL-85) NOTICE OF ALLOWABILITY IS NOT A GRANT OF PATENT RI of the Office or upon petition by the applicant. See 37 CFR 1.313	(OR REMAINS) CLOSED in this a or other appropriate communication IGHTS. This application is subject	pplication. If not included on will be mailed in due course. THIS
1. A This communication is responsive to applicant's Amendment	ent/Terminal Disclaimer received 16	<u> 8 November 2005.</u> .
2. The allowed claim(s) is/are <u>1-30</u> .		•
3. Acknowledgment is made of a claim for foreign priority ur a) All b) Some* c) None of the:		
Certified copies of the priority documents have		
2. Certified copies of the priority documents have	• • • • • • • • • • • • • • • • • • • •	
 Copies of the certified copies of the priority documents have been received in this national stage application from the International Bureau (PCT Rule 17.2(a)). 		
* Certified copies not received:		
Applicant has THREE MONTHS FROM THE "MAILING DATE" noted below. Failure to timely comply will result in ABANDONN THIS THREE-MONTH PERIOD IS NOT EXTENDABLE.		y complying with the requirements
4. A SUBSTITUTE OATH OR DECLARATION must be subminFORMAL PATENT APPLICATION (PTO-152) which give		
5. CORRECTED DRAWINGS (as "replacement sheets") must be submitted.		
(a) ☐ including changes required by the Notice of Draftspers	on's Patent Drawing Review (PTC	9-948) attached
1) hereto or 2) to Paper No./Mail Date		
(b) ☐ including changes required by the attached Examiner's Paper No./Mail Date	s Amendment / Comment or in the	Office action of
Identifying indicia such as the application number (see 37 CFR 1 each sheet. Replacement sheet(s) should be labeled as such in the		
6. DEPOSIT OF and/or INFORMATION about the deposit attached Examiner's comment regarding REQUIREMENT	sit of BIOLOGICAL MATERIAL FOR THE DEPOSIT OF BIOLOGIC	must be submitted. Note the CAL MATERIAL.
Attachment(s)	5 	
 Notice of References Cited (PTO-892) Notice of Draftperson's Patent Drawing Review (PTO-948) 		Patent Application (PTO-152)
2. Involice of Draitperson's Patent Drawing Review (P10-948)	6. ☐ Interview Summar Paper No./Mail Da	y (PTO-413), ate .
3. Information Disclosure Statements (PTO-1449 or PTO/SB/0 Paper No./Mail Date	8), 7. Examiner's Amend	Iment/Comment
4. Examiner's Comment Regarding Requirement for Deposit of Biological Material	8. X Examiner's Statem	ent of Reasons for Allowance
C. Dologica Waterial	9. Other	
,		RUSSELL FREJD PRIMARY EXAMINER

U.S. Patent and Trademark Office PTOL-37 (Rev. 7-05) Serial Number: 09/899,587 Page 1

In re Application of: Brunt et al.

Allowance of Application # 09/899,587

 The following communication is in response to applicant's Amendment and Terminal Disclaimer received 16-November-2005.

Reasons for Allowance

2. The following is an Examiner's Statement of Reasons for the indication of allowable subject matter. The instant application is directed to a non-obvious improvement over the invention described in the Schuller et al. published U.S. Application No. 2001/0047250, the improvement comprising a system and method for producing a colour recommendation for a structure or part of a structure to be painted, wherein an archtype image that closely matches the structure to be painted is selected from a first database; a color or colours are selected from a second database by a user and are applied to the image to produce a colour scheme; whereby the structure or part of a structure is displayed with the colour applied, and information from which paint corresponding to the colour or colours in the scheme is identified. This patentable distinction is included in each of the independent claims, nos. 1, 6, 17 and 18. The art of record, either individually or in combination, fails to teach, suggest, or render obvious the useful, concrete and tangible <generation of a colour recommendation for a structure or part of a structure to be painted> having the corresponding structure which is disclosed in the specification and equivalents thereof at least at page 5, line 14 through page 10, line 8, and Figures 1-3. In view of the foregoing, the claims of the present application are found to be patentable over the prior art.

Page 2 Serial Number: 09/899,587

In re Application of: Brunt et al.

Response Guidelines

3. Any comments considered necessary by applicant MUST be submitted no later than the payment of the Issue Fee and, to avoid processing delays, should preferably accompany the Issue Fee. Such submissions should clearly be labeled "Comments on Statement of Reasons for Allowance".

3.1 Any response to the Examiner in regard to this allowance should be

directed to: Russell Frejd, telephone number (571) 272-3779, Monday-Friday

> from 0530 to 1400 ET, or the examiner's supervisor, Kamini Shah, telephone number (571) 272-2279. Inquires of a general nature or relating to the status of this application should be directed to the TC2100

Group Receptionist (571) 272-2100.

mailed to: Commissioner of Patents and Trademarks

P.O. Box 1450, Alexandria, VA 22313-1450

(571) 273-8300 or faxed to:

Hand-delivered responses should be brought to the Customer Service Window, Randolph Building, 401

Dulany Street, Alexandria, VA, 22314.

Date: 11-December-2005

Lussen FREJE